

and 20 wherein R<sub>1</sub> and R<sub>2</sub>, which are different or identical, are alkyls, optionally substituted.

16. (New) The composition as claimed in claim 15, wherein the viscosity is not more than 1200 mPa.s.

17. (New) The composition as claimed in claim 15, wherein the mass of the agent b) (numerator) and the mass of the composition a) (denominator) has a ratio ranging from 2% to 10%, optionally from 3% to 7%.

18. (New) The composition as claimed in claim 15, wherein the sum p+q is equal to 2.

19. (New) The composition as claimed in claim 15, wherein said isocyanate composition a) comprises at least 50%, optionally 70% by mass of oligomers chosen from hetero- and homooligomers, at least one of the monomers of which is an aliphatic monomer bearing at least two isocyanate functions and whose skeleton, on the shortest trajectory connecting two isocyanate functions, comprises at least one polymethylene sequence of at least two methylene chain units (CH<sub>2</sub>)<sub>π</sub> (π≥2), which is exocyclic when the monomer comprises a ring.

20. (New) The composition as claimed in claim 15, wherein said isocyanate composition a) further comprises a portion of reactive solvent comprising at least one molecule chosen from dimers, bis-dimers, monoallophanates, polymethylene diisocyanates and di-, tri- or tetrafunctional monomers with a molecular mass at least equal to 200.

21. (New) The composition as claimed in claim 20, wherein said portion represents


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-14 (Canceled)

15. (New) A composition comprising, for successive or simultaneous addition:  
an isocyanate composition (a) with a mass content of N=C=O function of between 10% and 30%, optionally from 15% to 25% and with a viscosity of not more than 2500 mPa.s, optionally not more than 1500 mPa.s, and  
a surfactant (b) comprising a compound or a mixture of compounds of mean general formula:



wherein:

p represents a value between 1 and 2;

m represents zero or 1;

the sum p+m+q is equal to 3;

the sum 1+p+2m+q is equal to 3 or 5, optionally 5;

X is an oxygen;

X' is an oxygen;

n and s have the same statistical value, chosen between 5 and 30, optionally between 9